



TOYOTA

LEAD THE WAY



HILUX

THE NEW HILUX SINGLE CAB IS FOR THOSE WHO ARE READY TO TAKE ON THE CHALLENGE OF LIFE WITH EVERY-DAY HARD WORK AND DEDICATION. IT'S THE SOLID WORKHORSE FOR THOSE WHO DON'T WAIT FOR OPPORTUNITY BUT CREATE IT, SO THAT NO MATTER YOUR BUSINESS, THIS IS TOUGHNESS YOU CAN RELY ON.



MODEL SHOWN: 2.8 GD-6 4x4 Raider 6MT

FUTURE
PROOF.
FUTURE
TOUGH.



THE NEW HILUX SINGLE CAB IS FOR THOSE WHO ARE READY TO TAKE ON THE CHALLENGE OF LIFE WITH EVERY-DAY HARD WORK AND DEDICATION. IT'S THE SOLID WORKHORSE FOR THOSE WHO DON'T WAIT FOR OPPORTUNITY BUT CREATE IT, SO THAT NO MATTER YOUR BUSINESS, THIS IS TOUGHNESS YOU CAN RELY ON.

And as today's challenges evolve into the opportunities of tomorrow, so does the Hilux Single Cab with two new models added to the range, a choice of 5 or 6-speed manual, or 6-speed auto and a rigid, robust ladder-frame chassis. And with a total of 14 Single Cab models to choose from, ranging from the super practical and ever reliable Workhorses to the sleek and stylish Raiders, you'll find the right Single Cab for whatever the future brings.

Workhorse Models

2.0 VVTi 5MT

2.0 VVTi 5MT A/C

2.4 GD 5MT

2.4 GD 5MT A/C

SR Models

2.4 GD-6 Raised Body SR 6MT - NEW

2.4 GD-6 4x4 SR 6MT

SRX Models

2.4 GD-6 Raised Body SRX 6MT

2.4 GD-6 Raised Body SRX 6AT - NEW

2.4 GD-6 4x4 SRX 6MT

2.4 GD-6 4x4 SRX 6AT

Raider Models

2.8 GD-6 Raised Body Raider 6MT

2.8 GD-6 Raised Body Raider 6AT

2.8 GD-6 4x4 Raider 6MT

2.8 GD-6 4x4 Raider 6AT

THE POWER OF TOUGHER-ER

With a choice of two petrol or 12 turbodiesel models offering maximum muscle and the option of 4X2 or 4x4 drivetrains with Range Select Dial*, the Hilux Single Cab delivers excellent off-road handling, decisive acceleration and more efficient fuel consumption so that no matter where this bakkie might take you, you've got it covered.

The 2.0 VVTi petrol engine produces 102 kW of power at 5600 r/min and 183 Nm of torque at 4000 r/min.

The 2.4 GD low-torque diesel engine delivers 110kW of power at 3400 r/min and 343 Nm of torque at 1400 - 2800 r/min.

The 2.4 GD-6 turbodiesel high-torque engine produces 110 kW of power at 3400 r/min and 400 Nm of torque at 1600-2000 r/min, providing maximum punch and optimal fuel efficiency.

The 2.8 GD-6 turbodiesel engine produces 130 kW of power at 3400 r/min and 420Nm of torque at 1400-2600 r/min for manual transmissions and 450Nm of torque at 1400-2600 r/min for automatic transmissions.

The slick Intelligent Manual Transmission (iMT)* on the Single Cab puts power at your fingertips, no matter the road surface or the speed. Your moves are anticipated and responded to intelligently: the engine speed is matched to the transmission speed, resulting in smooth gear changes with minimal disruption.

The Single Cab also offers Drive Mode Select*, which allows the driver to switch between the Standard, Eco, or Power drive modes, to adapt to different driving conditions.

WHEN THE FUTURE GETS TOUGH, THE HILUX GETS TOUGHER-ER

Still the toughest 4x4 on Earth, the Hilux thrives in ever-changing environments, with sure-footed off-road traction and advanced 4x4 features to conquer even the most extreme of terrains.

Hill Assist Control (HAC)*:

This feature prevents the vehicle from rolling back on steep ascents during take-off.

Trailer Sway Control (TSC)*:

When towing, TSC stabilises the connection between your Hilux and a trailer so that the effect of potentially destabilising crosswinds, under-winds and variations in the road surface are neutralised. Steering operations are stronger: TSC suppresses extra movement before it gets beyond your brake or steer range, making sure the trailer is steady and stays completely within your control.

Differential Lock*

Secures traction and ensures that you can get out of any tough situation with complete ease.

Suspension

Up front, a double wishbone suspension with rigid shock absorbers provides driving comfort and stability, while super-strong leaf-springs at the rear ensure maximum load-supporting ability.

*Available on selected models only

MODEL SHOWN: 2.8 GD-6 RB Raider 6MT

THE 2018 HILUX SINGLE CAB FEATURES A STRIKING NEW FRONT DESIGN TO THE SRX AND RAIDER MODELS AND SEVEN COLOURS TO CHOOSE FROM, INCLUDING A BRAND NEW INFERNO METALLIC.

18" alloy all-terrain tyres, Chrome accents, Daytime Running Lights (DRL), LED Headlights and LED fog lights on the Raider models further complement the new face of tough.

SRX and Raider models have an auto light control system with follow-me-home headlight functionality. The Workhorse models feature a sturdy black-moulded front bumper for enhanced toughness.

TOUGH TECH

Taking challenges head on doesn't mean you don't like to do it in style and the Single Cab range perfectly balances the exterior strength and toughness with comfort and ease on the inside.

Take the lead with all the information you need at your fingertips in the form of a brand new touchscreen multimedia

system*, with Audio Visual Navigation (AVN)*, steering wheel switches*, DVD compatibility*, Bluetooth* and USB*, and up to 4 speakers*, as well as power sockets. The Multi-Information display* gives more access to information with redesigned combination metres.

The Single Cab's clever storage solutions create more

streamlined design with a console box, cup holders, wide door pockets and a lockable glove box with a coolbox*. The loadbox provides ample room thanks to its generous size (2315 x 1575 x 480) and has the added practicality of hooks. Single Cabs also come with air conditioning*, one-touch driver electric windows and cruise control*.

*Available on selected models only

THE FACE OF THE FUTURE



MODEL SHOWN: 2.4 GD-6 Raised Body SRX 6AT



THE HILUX SINGLE CAB TAKES SAFETY SERIOUSLY AND HAS STATE-OF-THE-ART FEATURES THAT WILL KEEP YOU AND YOUR LOVED ONES DRIVING SAFELY INTO THE FUTURE.

SAFETY EVOLVED

SAFETY FEATURES INCLUDE:

Anti-Lock Braking System (ABS) :

ABS regulates the hydraulic pressure of the brakes, while a load-sensing proportioning and bypass valve optimise the effectiveness of the rear brakes. The benefit is complete control and steerability during braking.

Brake Assist (BA):

BA increases the braking power in the case of an emergency stop, to supplement the brake power exerted by the driver.

Electronic Brake-force Distribution (EBD):

Working in conjunction with the ABS, EBD distributes braking force to maximise stopping distances while the driver maintains control at all times.

Vehicle Stability Control (VSC)* :

VSC keeps you firmly in control by maintaining grip on slippery surfaces, providing greater stability when cornering or bringing you safely to a halt when needed.

Not only has the Hilux been kitted out with up to seven* airbags (distributed as driver, front passenger, curtain*, driver knee and front side* airbags), but extra-strength steel and high-strength structures are in place to reduce the possibility of passenger injuries. Impact-absorbing structures have also been incorporated in the engine hood and front fender to reduce pedestrian injury should a collision occur. Driver and passenger front airbags and a driver knee airbag have been newly added to the Workhorse models. Single Cabs also come with a seatbelt warning buzzer and Emergency Locking Retractor (ELR) pretensioner seatbelts.


HILUX SINGLE CAB SPEC SHEET	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SR 6MT	2.4 GD-6 4x4 SR 6MT	2.4 GD-6 RB SRX 6MT	2.4 GD-6 RB SRX 6AT	2.4 GD-6 4x4 SRX 6MT	2.4 GD-6 4X4 SRX 6AT	2.8 GD-6 RB Raider 6MT	2.8 GD-6 RB Raider 6AT	2.8 GD-6 4x4 Raider 6MT	2.8 GD-6 4X4 Raider 6AT
Engine and Drivetrain														
1st gear ratio	4.313	4.313	4.313	4.313	4.784	4.784	4.784	3.600	4.784	3.600	4.784	3.600	4.784	3.600
2nd gear ratio	2.330	2.330	2.330	2.330	2.423	2.423	2.423	2.090	2.423	2.090	2.423	2.090	2.423	2.090
3rd gear ratio	1.436	1.436	1.436	1.436	1.443	1.443	1.443	1.488	1.443	1.488	1.443	1.488	1.443	1.488
4th gear ratio	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
5th gear ratio	0.838	0.838	0.838	0.838	0.777	0.777	0.777	0.687	0.777	0.687	0.826	0.687	0.826	0.687
6th gear ratio					0.643	0.643	0.643	0.580	0.643	0.580	0.643	0.580	0.643	0.580
Auto disconnecting front differential						•			•	•			•	•
Bore x stroke (mm)	86.0 x 86.0	86.0 x 86.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6
Compression ratio	10.4 : 1	10.4 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1
Differential lock					•	•	•	•	•	•	•	•	•	•
Displacement (cm³)	1998	1998	2393	2393	2393	2393	2393	2393	2393	2393	2755	2755	2755	2755
Driven wheels	RWD	RWD	RWD	RWD	RWD/Part-Time	4WD/Part-Time	RWD	RWD	4WD/Part-Time	4WD/Part-Time	RWD	RWD	4WD/Part-Time	4WD/Part-Time
Emission control	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD	Euro 2-Without OBD
Fuel system	Petrol	Petrol	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Maximum power (kW @ r/min)	102 @ 5600	102 @ 5600	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	110 @ 3400	130 @3400	130 @ 3400	130 @ 3400	130 @ 3400
Maximum torque (Nm @ r/min)	183 @ 4000	183 @ 4000	343 @ 1400-2800	343 @ 1400-2800	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	420 @1400-2600	450 @ 1400-2600	420 @ 1400-2600	450 @ 1400-2600
Number of cylinders and arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Stabilizer	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only
Suspension (front)	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone	Double wishbone
Suspension (rear)	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle	Leaf spring-rigid axle
Transmission	Manual-5-speed	Manual-5-speed	Manual-5-speed	Manual-5-speed	Manual-6-speed	Manual-6-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Automatic-6-speed	Manual-6-speed	Automatic-6-speed
Wheels & Tyres														
Spare tyre	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-steel	Full-alloy	Full-alloy	Full-alloy	Full-alloy
Wheel and tyre	205/70R15 steel	205/70R15 steel	205/70R15 steel	205/70R15 steel	225/70R17 steel	225/70R17 steel	265/65R17 alloy	265/65R17 alloy	265/65R17 alloy	265/65R17 alloy	265-60R18 alloy	265-60R18 alloy	265-60R18 alloy	265-60R18 alloy
Exterior features														
Daytime running light											•	•	•	•
Door outside handles	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Chrome	Chrome	Chrome	Chrome
Front fog lamps					Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	LED	LED	LED	LED
Headlights	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	LED	LED	LED	LED
Headlamp levelling	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Automatic	Automatic	Automatic	Automatic
High-mounted brake light	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
Auto light control system, follow-me-home							•	•	•	•	•	•	•	•

HILUX SINGLE CAB SPEC SHEET	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SR 6MT	2.4 GD-6 4x4 SR 6MT	2.4 GD-6 RB SRX 6MT	2.4 GD-6 RB SRX 6AT	2.4 GD-6 4x4 SRX 6MT	2.4 GD-6 4x4 SRX 6AT	2.8 GD-6 RB Raider 6MT	2.8 GD-6 RB Raider 6AT	2.8 GD-6 4x4 Raider 6MT	2.8 GD-6 4X4 Raider 6AT
Side mirrors	Black, power	Black, power	Black, power	Black, power	Black, power	Black, power	Black, power, with indicator	Black, power, with indicator	Black, power, with indicator	Black, power, with indicator	Chrome, with indicator, retractable, power	Chrome, with indicator, retractable, power	Chrome, with indicator, retractable, power	Chrome, with indicator, retractable, power
Rear step bumper					*	*	*	*	*	*	*	*	*	*
Front & rear mud guards	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Side step							*	*	*	*	*	*	*	*
Interior, comfort and convenience														
4WD indicator						*			*	*			*	*
4WD selector switch						*			*	*			*	*
Centre console box	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Cupholders	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Lockable glove box	*	*	*	*	*	*	*	*	*	*	with Coolbox	with Coolbox	with Coolbox	with Coolbox
Key reminder warning	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Cruise control											*	*	*	*
Manual airconditioner		*		*	*	*	*	*	*	*	*	*	*	*
Audio system							Toyota Display Audio, RDS	Toyota Display Audio, RDS	Toyota Display Audio, RDS	Toyota Display Audio, RDS	Toyota Display Audio, RDS, DAB, AVN	Toyota Display Audio, RDS, DAB, AVN	Toyota Display Audio, RDS, DAB, AVN	Toyota Display Audio, RDS, DAB, AVN
DVD, Bluetooth & USB port							*	*	*	*	*	*	*	*
Light remind warning	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Multi-Information Display					*	*	*	*	*	*	TFT	TFT	TFT	TFT
Navigation system: touchscreen and SD card											*	*	*	*
Power Socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V x2	Front - 12V x2	Front - 12V x2	Front - 12V x2
Front electric windows with one touch driver's side	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Speakers	2	2	2	2	2	2	2	2	2	2	4	4	4	4
Steering switches: info display, telephone and audio					*	*	*	*	*	*	*	*	*	*
Safety and driver support systems														
Alarm, Immobiliser , intrusion sensor, siren	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Auto door lock	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Curtain airbags and front side airbags					*	*								
Driver, front passenger and driver knee airbags	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Emergency brake signal					*	*	*	*	*	*	*	*	*	*
Power door lock	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Wireless door lock	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote	Remote

HILUX SINGLE CAB SPEC SHEET	2.0 VVTi 5MT	2.0 VVTi 5MT A/C	2.4 GD 5MT	2.4 GD 5MT A/C	2.4 GD-6 RB SR 6MT	2.4 GD-6 4x4 SR 6MT	2.4 GD-6 RB SRX 6MT	2.4 GD-6 RB SRX 6AT	2.4 GD-6 4x4 SRX 6MT	2.4 GD-6 4X4 SRX 6AT	2.8 GD-6 RB Raider 6MT	2.8 GD-6 RB Raider 6AT	2.8 GD-6 4x4 Raider 6MT	2.8 GD-6 4X4 Raider 6AT
Anti-Lock Braking System (ABS)	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Brake Assist (BA)	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Electronic Brake-force Distribution (EBD)	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hill Assist Control (HAC)					*	*	*	*	*	*	*	*	*	*
Vehicle Stability Control (VSC)					*	*	*	*	*	*	*	*	*	*
Trailer Sway Control (TSC)					*	*	*	*	*	*	*	*	*	*
Drive Mode Select: Eco and Sport					*	*	*	*	*	*	with IMT	*	with IMT	*

Dimensions and Capacities														
Front overhang (mm)	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
Front tread (mm)	1510	1510	1510	1510	1495	1495	1535	1535	1535	1535	1535	1535	1535	1535
Fuel tank size (ℓ)	80	80	80	80	80	80	80	80	80	80	80	80	80	80
Gross Combination Mass (GCM)	4200	4200	5280	5280	5850	5850	5500	5500	5850	5850	5500	5500	5850	5850
Ground clearance (mm)	187	187	194	194	269	269	269	269	269	269	269	269	269	269
Gross Vehicle Mass (GVM)	2700	2700	2810	2810	2870	2870	2750	2750	2870	2870	2750	2750	2870	2870
Height (mm)	1690	1690	1690	1690	1795	1795	1795	1795	1795	1795	1795	1795	1795	1795
Interior height (mm)	1175	1175	1175	1175	1175	1175	1175	1175	1175	1175	1175	1175	1175	1175
Length (mm)	5270	5270	5270	5270	5330	5330	5330	5330	5330	5330	5330	5330	5330	5330
Rear overhang (mm)	1180	1180	1180	1180	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250
Rear tread (mm)	1510	1510	1510	1510	1510	1510	1550	1550	1550	1550	1550	1550	1550	1550
Towing capacity - unbraked (kg)	750	750	750	750	750	750	750	750	750	750	750	750	750	750
Towing capacity - braked (kg)	1500	1500	2500	2500	3200	3200	2750	2750	3200	3200	2750	2750	3500	3500
Turning circle (tyres, m)	5.9	5.9	5.9	5.9	6.3	6.3	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
Wheelbase (mm)	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085	3085
Width (mm)	1800	1800	1800	1800	1800	1800	1855	1855	1855	1855	1855	1855	1855	1855
Loadbox (l x w x h)	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480	2315 x 1575 x 480

Service and Warranty														
Service intervals	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km
Service plan	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km
Warranty	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km



040 Glacier White



1D6 Chromium Silver



1G3 Graphite Grey Metallic



3T6 Arizona Red



4R8 Inferno Metallic



4V8 Avant-Garde Bronze Metallic



8X2 Cosmic Blue

TOYOTA ENVIROMENTAL CHALLENGE 2050



The Toyota Hilux range has been manufactured to minimise its carbon footprint. Guided by the goals of the Toyota Environmental Challenge 2050, as little impact as possible is made on the environment during each step of the process. From design to manufacturing to end-of-life recycling programmes, our planet always comes first. This is because the ultimate long-term goal for Toyota is to make all our vehicles as environmentally friendly as possible. With this in mind, the entire Hilux range has been designed to minimise CO₂ emissions. At Toyota, creating technologically advanced vehicles isn't our only priority; we're committed to lowering our environmental impact throughout our entire production process. How? By setting ourselves six challenges that will see us reach a truly world-changing goal: a positive environmental impact by 2050.



CHALLENGE 2

LIFE CYCLE ZERO CO₂ EMISSIONS CHALLENGE

You are lending a helping hand to Toyota's efforts to reduce to zero not only CO₂ emissions produced in travelling and manufacturing, but all CO₂ emissions including the process of materials production, disposal and recycling of vehicles.

CHALLENGE 4

CHALLENGE OF MINIMISING AND OPTIMISING WATER USAGE

In automobile manufacturing, we use water in painting, forging and other processes. Therefore, even a small reduction of its impact on the water environments is important. We have two measures to achieve this are comprehensive reduction of the amount of water used and comprehensive purification of the water and returning it to the earth.

CHALLENGE 6

CHALLENGE OF ESTABLISHING A FUTURE SOCIETY IN HARMONY WITH NATURE

Here at Toyota we have engaged in planting trees at our plants and environmental conservation activities in our surrounding areas. To establish a society where humans and nature coexist in harmony, we are promoting several activities to connect regions, the world and the future.



ZERO CO₂

CHALLENGE 1

NEW VEHICLE ZERO CO₂ EMISSIONS CHALLENGE

By owning a Toyota you would be contributing to the reduction of vehicle CO₂ emissions by 90% in 2050 as opposed to 2010. You will help us promote the development of next-generation vehicles and further accelerate the spread of these vehicles.



ZERO CO₂

CHALLENGE 3

PLANT ZERO CO₂ EMISSIONS CHALLENGE

You uphold the two main pillars of our strategy to achieve zero CO₂ emissions at our plants which are:

- 1) Developing and introducing low-CO₂ technologies with ongoing kaizen.
- 2) Adopting renewable energy sources and utilizing hydrogen energy.

CHALLENGE 5

CHALLENGE OF ESTABLISHING A RECYCLING-BASED SOCIETY AND SYSTEMS

You have contributed to our 40 years on the challenge of resource recycling. Going forward, by rolling out to the world the technology and systems evolved in Japan, we will all continue working on the challenge of establishing a recycling-based society.



ZERO CO₂



Toyota vehicles are known for their Quality, Durability and Reliability. Keeping your Toyota Genuine means no compromises in terms of safety, performance and resale value. The range of Genuine Products and Approved Services will ensure complete peace of mind throughout the ownership journey and beyond. For more information on how to Keep Your Toyota Genuine visit www.toyota.co.za/genuine

TOYOTA GENUINE PRODUCTS

For guaranteed fit and function, **Genuine Parts** are essential in maintaining the safety and reliability of your vehicle. They also comply with all safety, regulatory and environmental requirements, making it the obvious choice. The same exacting precision applies to **Toyota Accessories**, developed by engineers with extensive knowledge on vehicle integration - you can enhance the appeal and functionality of your Hilux without compromising its safety features or warranty. Warranties are about peace of mind, and the **Genuine Unlimited Warranty** is designed to provide superior cover (up to 6 or 8 years, unlimited mileage) and a seamless claims process thanks to full integration with Toyota systems. The **Genuine Extended Service Plan** also enjoys exclusive approval by Toyota SA and provides flexible extension options up to 10 years or 200 000 km to suit your period of ownership. Paying today's rates for tomorrow's maintenance is a sensible way to protect the resale value of your Hilux by means of a full service history.

TOYOTA APPROVED SERVICES

Specialised vehicle maintenance requires first-class facilities, advanced equipment and expert knowledge. **Toyota Quality Service and Value Service** not only promise accurate diagnosis and repair, but also a philosophy of building trust through a genuine concern for the needs of our customers. To complement the extensive network of Toyota dealers, we have a vast number of **Accredited Body and Paint Repairers**, selected on stringent criteria to ensure outstanding workmanship and customer service. You can maintain your vehicle's pristine condition without compromising its warranty thanks to the exclusive use of Genuine Parts by our Accredited Repairers. Offering 24-hour access to a full complement of assistance and recovery benefits, **Toyota Roadside Assistance** provides the peace of mind that competent support is only a phone call away.

TOYOTA GENUINE MEANS

✓ UNCOMPROMISED SAFETY ✓ GUARANTEED QUALITY ✓ PEACE OF MIND



Download the **MyToyota** App from the [Google Play Store](#) or the [App Store](#) to receive the latest Toyota news, keep an eye on your vehicle's finance and book your vehicle for a service. You can also book a test drive or arrange roadside assistance, all on your phone.

DISCLAIMER:

The information contained in this leaflet is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this leaflet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this leaflet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this leaflet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this leaflet in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.



TOYOTA FINANCIAL SERVICES

There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Hilux deal for you.

At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Hilux. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance.

Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/toyota-finance

